



Staying Green While Conserving Water in Miami-Dade: A Selection of both Native and Non-Native Fruit Trees

The list below is a selection of highly drought tolerant trees (non-native as well as those native to south Florida) that bear edible fruit. Palatability of fruit from native trees can be variable (most are grown from seed); some are more suited to use in preserves or pies rather than consumed directly from the tree. At the very least the fruit can attract birds to your yard, plus all the trees have ornamental and/or environmental attributes that warrant their use in local landscapes. For more information on all of the listed trees go on line to the Miami-Dade Extension Office. If a fruit tree is not available from your local garden shop try area nurseries that specialize in fruit trees and Florida native plants (lists are available on our office web site).

SIZE: locally expected height in feet

• tr/shr (grown as a tree or shrub – most usual indicated first).

USE: utility in the landscape other than as a fruit tree

- **sp** (specimen tree/shrub)
- **scr** (screen/barrier)
- **sh** (shade)
- **orn** (attractive form, and/or leaves and/or flowers with ornamental appeal)

SEASON: season of year during which tree produces fruit.

MISC:

- Separate male(♂) and female(♀) flowering tree necessary for fruit
- § = two or more trees required for reliable and/or bountiful fruit production
- Tol: tolerant of salt
- Coastal: tolerant of both wind and salt

Asterisk (*) = native to South Florida

	SIZE	USE	SEASON	MISC.
Anacardium occidentale (Cashew)	30	sp.	late spring	Cold sensitive Anthracnose disease
Brosimum alicastrum (Mayan breadnut)	60	sp/sh/orn	Summer - Fall	Well adapted to limestone
Carissa carandas¹ (Karanda)	10-15 shr	scr/orn	Summer - Winter	Fragrant flowers Thorny
Carissa macrocarpa (Natal plum)	5-10 shr	sp/orn/scr	Year round (sporadic)	More attractive than karanda Tol
Coccoloba uvifera* (Seagrape)	10-35 shr	sp/orn/scr	Summer	♂ ♀ Coastal
Dovyalis hybrid (Florida apricot)	15-20 tr/shr	scr	Fall –Winter	Tolerant of wind Spiny
Eriobotrya japonica (Loquat)	20	sp/orn	Late fall - Winter	Fragrant flowers
Eugenia pyriformis var. uvalh (Uvalha)	a 15	sp/orn	Spring- Summer	Fruit highly aromatic
Garcinia livingstonei (Imbe, African mangosteen)	15-20 tr/shr	sp/orn/scr	Late spring- Winter	Unusual angular growth habit Coastal §
Garcinia xanthochymus (False mangosteen/ Gamboge)	20	sp/orn	Winter- Summer	Broad, low canopy Cold tolerant
Melicoccus bijugatus (Spanish lime/Mamoncillo)	40-50	sp/sh	Summer	Fragrant flowers ♂♀
Morinda citrifolia (Noni)	20 shr	sp	Year round	Juice used used as a health drink. Fruit has rancid odor Tol
Pleiogynium timoriense (Burdekin plum)	30-40	sp/sh	Late Summe -Winter	er Fruit best in preserves ♂ ♀
Reynosia septentrionalis* (Darling plum)	10-25 tr/shr	sp	Summer	Tol

_

¹ Karanda grows as a scandent shrub and requires support, e.g. a chain link fence.

Sideroxylon celastrinum* (Saffron plum)	15-25 tr/ shr	sp/scr	Year round Co	oastal
Spondias mombin (Yellow mombin)	25-40	sp/sh		duous; poor I tolerance
Spondias purpurea (Red mombin, Ciruela)	15-25	orn		uous; brittle, vling limbs
Talisia oliviformis (Yellow genip, Cotopriz)	40	sp/sh		cold tolerance rant flowers
Tamarindus indica (Tamarind)	40	sp/sh/orn	tole	ent storm erance Fol
Ximenia americana* (Florida hog plum Tallow wood)	10-25 tr/ shr	sp	be diffi	sprawls; can cult to grow Tol
Ziziphus mauritiana (Indian jujube)	20-30	sp/orn/scr	Fall/winter Weep Spi	ing habit; ny <mark>§</mark>

John McLaughlin Miami-Dade Cooperative Extension Office January 17, 2011